

## ARTISTRY IN WOOD



# Sculpted

A modern twist on traditional hand scraped hardwood floors, made in Canada from premium hardwood. "Sculpting" the wood adds depth, detail, and practicality for daily use. Another great choice to help hide everyday wear.








## Sculpted

COLLECTION

## SPECIES & COLORS




## Practical

Sculpting adds depth and detail to the wood.

This texture helps hide everyday scratches and dents.





# Hand Scraped

Hand scraped hardwood has a distinct look and old world feel that goes back hundreds of years. Each board of Vintage's Hand Scraped hardwood flooring is unique, scraped and crafted by hand then stamped on the back by the craftsman. Hand scraped floors tend to require less maintenance than smooth finish floors and help hide everyday wear. They are contoured to accentuate the natural beauty and character of each species.








# Hand Scraped

SPECIES


&


COLORS



## Authentic

Every board is one-of-kind, scraped by hand, for a completely unique floor.





# Wire Brushed

COLLECTION

Wire Brushed floors are another unique and beautiful option for a textured floor.

During manufacturing, these floors go through a rotating wire brush that removes the sapwood or softer spring grain of the wood, highlighting the natural richness of each species. These floors tend to hide dents and scratches extremely well and everyday wear is blended in. Wire brushing is very conducive to achieving 2 tone floors, giving you a European style and look.








# Wire Brushed

SPECIES & COLORS



<sup>\*</sup>This color is also available in Rift & Quarter Sawn.

## Defined

Wire Brushed hardwood brings definition and highlights the natural richness of each species and grain pattern.





# Smooth

COLLECTION

Transform your home with elegant
Smooth prefinished Hardwood Flooring
by Vintage. Our hardwood has unmatched quality,
beauty and durability. With the smallest
micro-v bevel in the industry, Vintage's
smooth floors are easier to keep clean
and looking beautiful for years. With several species,
grades, widths and colors to choose from,
you can easily find your style.










## SPECIES & COLORS



## Classic

Smooth floors have a classic elegance that naturally lends itself to many species. Available in various species, grades, widths and colors, the possibilities are endless.





# Fumed

COLLECTION

A beautiful, stable and unique floor which looks a lot like Black Walnut, is created when White Oak goes through a fuming process and brings out the natural tannins of the wood. This process allows the color to penetrate throughout the lamella, therefore, scratches and dents blend in more. Some of Vintage's products such as Excalibur and Spartacus are then stained, creating amazing tones of gray and caramel.









## SPECIES & COLORS
















## Smoked

Color penetrates throughout the lamella, so that scratches and dents blend in more.





# Rift & Quarter Sawn

COLLECTION

Rift & Quarter Sawn wood is cut at a specific angle to increase stability and minimize warping. Rift Sawn wood has a linear look and the Quarter Sawn wood has an amazing ribbon-like effect and some flecking. These cuts of wood are combined since they compliment each other to create a beautiful, stable floor.







# Rift & Quarter Sawn

SPECIES & COLORS













## Dramatic


These cuts of wood are combined since they compliment each other to create a beautiful, stable floor.





## Smooth Herringbone

COLLECTION



Product Grade, widths & lengths: Red Oak: Northern Solid Sawn®, Estate 3 1/4" x 14.68" (84 mm x 373 mm), Character 5" x 30" (127 mm x 762 mm) White Oak: Northern Solid Sawn®, Select-V 3 1/4" x 14.68" (84 mm x 373 mm), Character 5" x 30" (127 mm x 762 mm)

# Hand Scraped Herringbone















## Sculpted Herringbone

COLLECTION

SPECIES & COLORS



Product Grade, widths & lengths: Red Oak: Northern Solid Sawn®, Character 5" x 30" (127 mm x 762 mm) White Oak: Northern Solid Sawn®, Character 5" x 30" (127 mm x 762 mm)

## Wire Brushed Herringbone

COLLECTION

SPECIES OLORS Red Oak White Oak Red Oak Red Oak White Oak White Oak Pharaoh Angora White Oak White Oak Red Oak Red Oak Red Oak Red Oak Red Oak Zeus Gryphon Ophelia Kahlua Dover Buckingham White Oak Red Oak Red Oak Red Oak White Oak Red Oak Red Oak Gotham Berkshire Zambezi Pewter Chariot Cocoa Baroque

Product Grade, widths & lengths: Red Oak: Northern Solid Sawn®, Select-V 3 1/4" x 14.68" (84 mm x 373 mm), Character 5" x 30" (127 mm x 762 mm) White Oak: Northern Solid Sawn®, Select-V 3 1/4" x 14.68" (84 mm x 373 mm), Character 5" x 30" (127 mm x 762 mm)





Smallest "micro v" in the industry: Means smaller seams and less dirt build-up

3/4" (19 mm) Solid hardwood

Superior lengths: 10" - 79"\* (254 mm - 2007 mm)

3 species, 3 textures, 3 widths, 3 grades and over 60 colors to choose from

Install over a 5/8" plywood or 3/4" OSB subfloor

#### LENGTHS\*

Estate: 12" - 79" Average 32" (305 mm - 2007 mm Average 813 mm) Select-V: 12" - 79" Average 32" (305 mm - 2007 mm Average 813 mm) Character: 12" - 79" Average 30"

(305 mm - 2007 mm Average 762 mm)

## **Relative Humidity Chart**



3/4" (19 mm) Solid







4 mm Sawn wear lamella

Solid finger lumber core

Hardwood back


Superior lengths: 14"-114"\* (356 mm - 2896 mm)

4 species, 3 textures, 6 widths, 2 grades and over 40 colors to choose from

## **Relative Humidity Chart**



3/4" (19 mm) Structured



NAIL







## LENGTHS\*

Select-V: 16" - 78" Average 38" (406 mm - 1981 mm Average 965 mm)

Character 5", 7": 16" - 84" Average 44" (406 mm - 2134 mm Average 1118 mm)

**Character 8", 10" long length:** 24" - 114" Average 58" (609 mm - 2896 mm Average 1473 mm)

At Vintage we are committed to manufacturing a superior quality product that will not only add beauty, character and elegance to any room but will fit your lifestyle. We offer four types of flooring:

Pioneered® 3/4" Solid, high performance Solid Sawn®, Northern Solid Sawn® 3/4" structured (which is our most stable floor), and our Do-it-yourself easy to install U-LOC® 7/16". It is vital to maintain proper humidity levels according to the structure you select to minimize expansion and contraction in your floor and maximize the life of your hardwood flooring.



4 mm Sawn wear lamella

Qtr. Sawn SPF finger core

Wood back


Superior lengths: 15"-82"\* (373 mm - 2086 mm)

5 species, 3 textures, 4 widths, 3 grades and over 70 colors to choose from





Estate: 15" - 70" Average 33" (373 mm - 1778 mm Average 838 mm)
Select-V: 15" - 70" Average 33" (373 mm - 1778 mm Average 838 mm)

**Character:** 20'' - 82' Average 42'' (511 mm - 2086 mm Average 1067 mm)









Smallest "micro v" in the industry: Means smaller seams and less dirt build-up

1.5 mm Sawn face lamella

HDF core

Wood back

Easy to install locking system

Fixed lengths: 14" - 69"\* (350 mm - 1752 mm)

2 species and 6 colors to choose from

Install over concrete with Vintage's Premium underpad


#### LENGTHS

**Select-V:** 13-3/4" - 46-1/8" (350 mm - 1172 mm) **Character:** 16-5/8" - 69" (421 mm - 1752 mm)

## **Relative Humidity Chart**

**Relative Humidity Chart** 

25-70%



<sup>\*</sup> Lengths will vary by widths. See Vintage Dealer for more information

<sup>\*\*</sup> Consult Vintage's radiant heat compliance information available at www.vintageflooring.com

## Grades

MORE VARIETY, LONGER LENGTHS, LOCALLY SOURCED

## **Estate**




Estate is Vintage's cleanest and most consistent in color grade. Consists of clear and select boards. Small tight pin knots and natural characteristics allowed.

## Select-V



Select-V is a combination of estate and heritage grades, and consists of a blend of heart and sapwood. 1/4" sound filled knots with some voids are allowed. Splits, checks and knots on bevel are not part of this grade.

## Character



Unlimited color variation and naturally occuring characteristics. Unlimited sound filled knots (no limitation of size), checks and splits. Some voids are allowed.

## Species

## MAXIMUM CHOICE, FLEXIBILITY AND VALUE



## Maple

Hardness: 1450
Available in grades:
Select-V and Character

- Sapwood is pale to creamy white
- · Heartwood is creamy white to light reddish brown
- Closed subdued grain has a uniform texture; occasionally quilted, fiddleback, curly or bird's eye figuring is found



#### Red Oak

Hardness: 1290

Available in grades:
Estate, Select-V and Character

- · Sapwood is white to light brown
- Heartwood is pinkish reddish brown
- Mostly straight-grained with a coarse texture



#### **Black Walnut**

Hardness: 1010 Available in grade: Character

- · Sapwood is nearly white to tan
- Heartwood ranges from a deep, rich dark brown to a purplish black
- Grain is mostly straight and open, but some boards can have burled or curly grain



## Hickory

Hardness: 1820
Available in grades:
Select-V and Character

- Sapwood is white to cream
- · Heartwood is tan to reddish
- Grain is closed with moderate definition and texture



## White Oak

Hardness: 1360
Available in grades:
Select-V and Character

- Sapwood is white to cream
- Heartwood is light brown with some boards having a pinkish tint or a slight grayish cast
- Grain is open with occasional swirls, crotches and burls



## White Oak Rift & Quarter Sawn

Hardness: 1360

Available in grade: Select-V

- Sapwood is white to cream
   Heartwood is light brown with some boards having a pinkish tint or a slight grayish cast
- Straight grained with a fine uniform, smooth and satiny finish



#### White Oak Fumed

Hardness: 1360

Available in grade: Character

- Sapwood is tan to light brown, strip sap is cream to tan
- · Heartwood is light brown to dark brown
- Grain is open with occasional swirls, crotches and burls

## Gloss Levels

## ULTRA MATTE TO UVF, EASY CARE AND MAINTENANCE

## PEARL

A modern low gloss finish that helps to hide everyday wear and tear such as scratches and dents.

## UVF

Ultra low gloss finish that enhances the richness of the wood while providing easy maintenance.

#### UV URETHANE OIL

A European feel of an oiled finish, without the maintenance. The lowest gloss level is excellent for high traffic areas.


Vintage's UV Urethane Oil finish (synthetic urethane) uses ground breaking technology to provide a look that mimics oxidative penetrating oil, yet offers some attributes of a urethane finish, with some repair characteristics of an oil finish.

25 YEARS residential wear warranty 3 YEARS commercial wear warranty

10 YEARS residential wear warranty

1 YEAR commercial wear warranty

## SPECIES HARDNESS CHART



Consider the hardness of the species you select as some species may be more adaptable for high traffic areas.

## Accessories

## MATCHING TRIMS, EASY MAINTENANCE AND CLEANING TOOLS

#### TRIMS

Reducers, nosings, bi-level reducers and t-moldings are also available in a variety of colors and species to complete your Vintage hardwood floor.



#### MATCHABLE MOLDINGS

Matchable moldings and vents provide the best possible match for all of Vintage's textured floors by using Vintage's actual flooring.



## MAINTENANCE & REPAIR



#### **Wood stain**

Penetrating water-based stain formulated to reduce overlap and gives you the added convenience of water cleanup. Once dry, any sealer may be applied.



#### Touch-up kit

Touch ups are quick and easy with the Vintage repair kit. Markers and fil-stiks are used to fill in nicks and scratches. Use matching top coat if required. Available in all standard Vintage colors.



#### Hygrometer

Easy to read, digital temperature & humidity gauge for indoor use.

#### CLEANING

### Prefinished hardwood cleaning system

Kit includes washable microfiber mop head and 700 ml bottle of cleaner. Cleaner is made of biodegradable natural essential oils. Leaves no streaks or residue. Formulated for prefinished hardwood floors and is safe for families, pets and the environment.



## Warranty

All Pioneered® Solid, Solid Sawn® Structured, Northern Solid Sawn® Structured and U-LOC® have a lifetime Structural and Stability warranty as long as relative humidity ranges are maintained as per warranty of product

LIFETIME stability warranty

LIFETIME structural warranty

#### **Pearl and UVF Finishes**

25 YEARS residential wear warranty 3 YEARS commercial wear warranty


#### **UV Urethane Oil Finish**

10 YEARS residential wear warranty

YEAR commercial wear warranty

See warranty brochure for more information.
Consult your authorized Vintage dealer or our website for complete warranty information

## RELATIVE HUMIDITY STABILITY CHART



## Naturally Green



The Vintage Commitment...
using state-of-the art technology, our specialized team of wood
experts continuously strives to offer our customers the best quality
products and finishes in the market.

Rigorous quality control measures and continuous improvements to our manufacturing process are undertaken to ensure our systems meet the toughest standards. Our Pearl and UVF floors are finished with our specially formulated finish, guaranteed to deliver 25 years of lasting protection and beauty.

Vintage ensures manufacturing is in compliance with all applicable laws to minimize harmful effects of manufacturing on the environment.

All Vintage finishes are 99% VOC and Formaldehyde free.



Vintage Hardwood Flooring 409 Evans Ave., Toronto, ON M8Z 1K8

T.: 416 252-0962 TOLL FREE: 877 256-0231

Visit vintageflooring.com mail@vintageflooring.com







